



REGISTRAR API URL

<https://hoston.am/api/register.php>

method : POST

required fields

domain

(domain name you want to register)

clientid

(your client id in Hoston system)

paymentmethod

select ameriabank or idram

regperiod

number of years registration (1-5)

## Required fields

field	is required	type
domain	required	text
clientid	required	number
paymentmethod	required	text
regperiod	required	number

## Example of requests

POST ▼ | <https://hoston.am/api/register.php>

Params Authorization Headers (9) **Body** ● Scripts Settings

none  form-data  x-www-form-urlencoded  raw  binary  GraphQL

	Key		Value	Description
<input checked="" type="checkbox"/>	domain	Text <span>▼</span>	kjhkjhk.am	
<input checked="" type="checkbox"/>	clientid	Text <span>▼</span>	4	
<input checked="" type="checkbox"/>	paymentmethod	Text <span>▼</span>	ameriabank	
<input checked="" type="checkbox"/>	regperiod	Text <span>▼</span>	1	
	Key	Text <span>▼</span>	Value	Description

### *curl*

```
curl -X POST https://hoston.am/api/register.php \  
-H "Content-Type: application/x-www-form-urlencoded" \  
-d "domain=test.am" \  
-d "clientid=4" \  
-d "paymentmethod=idram" \  
-d "regperiod=1"
```

*js*

```
async function registerDomain() {
  const response = await
  fetch("https://hoston.am/api/register.php", {
    method: "POST",
    headers: { "Content-Type":
"application/x-www-form-urlencoded" },
    body: new URLSearchParams({
      domain: "test.am",
      clientid: "4",
      paymentmethod: "idram",
      regperiod: "1"
    })
  });

  const data = await response.json();
  console.log(data);
}

registerDomain();
```

*PHP*

```
<?php
$ch = curl_init();
curl_setopt($ch, CURLOPT_URL,
"https://hoston.am/api/register.php");
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, http_build_query([
```

```
'domain'    => 'test.am',
'clientid'  => 4,
'paymentmethod'=> 'idram',
'regperiod' => 1
]));
curl_setopt($ch, CURLOPT_RETURNTRANSFER, 1);
$response = curl_exec($ch);
curl_close($ch);

echo $response;
```

#### example error result

```
{
  "result": "error",
  "message": "Domain already registered"
}
```

#### example success result

```
{
  "result": "success",
  "orderid": 695,
  "productids": "",
  "serviceids": "",
  "addonids": "",
  "domainids": "718",
  "invoiceid": 751,
  "payment_url": "https://hoston.am/viewinvoice.php?id=751"
}
```

